

DEC 08 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Please amend claims 1, 8 and 15 as indicated below (material to be inserted is in **bold and underline**, material to be deleted is in ~~strikeout~~ or (if the deletion is of three or fewer consecutive characters or would be difficult to see) in double brackets [[]]):

Listing of Claims:

1. (Currently Amended) A method comprising:

rendering a print job with a client computer;

sending an authorization code to a the client computer from a monitoring device remotely located relative to the client computer;

subsequently sending [[a]] the print job with the authorization code from the client computer to the remote monitoring device;

the remote monitoring device checking whether the authorization code is valid;

enabling printing of the print job upon determining that the authorization code is valid; and

disabling printing of the print job **by a printer remote from the remote monitoring device** upon determining that the authorization code is invalid.

2. (Cancelled)

Page 2 - AMENDMENT
Serial No. 10/074,793
HP Docket No. 10016811-1
KH Docket No. HPCB 371

3. (Previously Presented) The method as recited in Claim 1, wherein the authorization code sent to the client computer from the remote monitoring device is received by an agent operating on the client computer.

4. (Original) The method as recited in Claim 1, wherein the authorization code comprises an expiration interval parameter.

5. (Cancelled)

6. (Cancelled)

7. (Original) One or more computer-readable media comprising computer-executable instructions that, when executed, perform the method as recited in Claim 1.

8. (Currently Amended) In a public computer service center where multiple computers can be connected to a communications link associated with the service center, a method comprising:

creating a request to log on to the communications link;

rendering a print job with the client computer;

sending an authorization code from a host located on the communications link to a client computer located on the communications link;

embedding the authorization code in a header of the print job;

subsequently sending ~~[[a]]~~ the print job with the embedded authorization code from the client computer to a printer ~~with the authorization code embedded in a header of the print job;~~ and

checking whether the authorization code is valid, prior to enabling or disabling the print job from printing.

Page 3 - AMENDMENT
Serial No. 10/074,793
HP Docket No. 10016811-1
KH Docket No. HPCB 371

9. (Original) The method as recited in Claim 8, wherein the public computer service center is a hotel.

10. (Original) The method as recited in Claim 8, wherein the public computer service center is an airport-based printing center.

11. (Original) The method as recited in Claim 8, wherein the authorization code contains an expiration interval parameter.

12. (Original) The method as recited in Claim 8, wherein the authorization code contains a quality of service parameter.

13. (Original) The method as recited in Claim 8, wherein an agent operating on the client computer receives the authorization code sent from the host and assigns the authorization code to the print job.

14. (Original) One or more computer-readable media comprising computer-executable instructions that, when executed, perform the method as recited in Claim 8.

15. (Currently Amended) A system comprising:

a communications link;

a monitoring device attached to the communications link;

a computer attached to the communications link; and

an agent installed on the communications link, configured to provide an interface between ~~[[a]]~~ the computer and the communications link, wherein the agent receives an authorization code from the monitoring device, and assigns the authorization code to a print job rendered with ~~sent by~~ the computer;

Page 4 - AMENDMENT
Serial No. 10/074,793
HP Docket No. 10016811-1
KH Docket No. HPCB 371

wherein the monitoring device is configured to receive the print job and verify whether the authorization code is valid.

16. (Previously Presented) The system as recited in Claim 15, wherein the monitoring device verifies whether the authorization code is valid by comparing the authorization code to a data base to find a matching entry.

17. (Previously Presented) The system as recited in Claim 15, wherein the monitoring device permits printing of the print job by a printer if the authorization code is valid.

18. (Original) The system as recited in Claim 15, wherein the authorization code comprises an expiration interval parameter.

19. (Original) The system as recited in Claim 15, wherein the authorization code comprises a quality of service parameter.

20. (Original) The system as recited in Claim 15, wherein the communications link comprises Ethernet access.

21. (Original) The system as recited in Claim 15, wherein the communications link is a communications network.

22. (Original) The system as recited in Claim 15, wherein the communications link is a switch.

23. (Original) The system as recited in Claim 15, wherein the monitoring device is a server.

Page 5 - AMENDMENT
Serial No. 10/074,793
HP Docket No. 10016811-1
KH Docket No. HPCB 371

24. (Original) The system as recited in Claim 15, wherein the authorization code is embedded in a header of the print job.

25. (Original) The system as recited in Claim 15, wherein the authorization code is part of an HTTP communication related to the print job.

Page 6 - AMENDMENT
Serial No. 10/074,793
HP Docket No. 10016811-1
KH Docket No. HPCB 371